



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/674,127	09/29/2003	Lyle E. Devore JR.	10919/26405	4275

7590 02/07/2007
Jeffrey A Pyle
WILLIAMS MORGAN & AMERSON PC
10333 Richmond
Suite 1100
Houston, TX 77042

EXAMINER

WATT, CHRIS A

ART UNIT	PAPER NUMBER
----------	--------------

2174

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	02/07/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Office Action Summary

Application No.

10/674,127

Applicant(s)

DEVORE ET AL.

Examiner

Chris Watt

Art Unit

2174

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 30 October 2006.
2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 10,11,16-18,20-23,25-30,34-41,43,44 and 48-70 is/are pending in the application.
4a) Of the above claim(s) _____ is/are withdrawn from consideration.
5) ☐ Claim(s) _____ is/are allowed.
6) ☒ Claim(s) 10,11,16-18,20-23,25-30,34-41,43,44 and 48-70 is/are rejected.
7) ☐ Claim(s) _____ is/are objected to.
8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
10) ☒ The drawing(s) filed on 29 September 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3) ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date 1/29/07.
4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
5) ☐ Notice of Informal Patent Application
6) ☐ Other: _____.

Art Unit: 2174

DETAILED ACTION

1. This communication is responsive to Amendment filed October 30, 2006.
2. Claims 10-11, 16-18, 20-23, 25-30, 34-41, 43-44 and 48-70 are pending in this application. Claims 10, 25, 28, 41, 48, 59, 63 and 67 are the independent claims. In the instant amendment, claims 48-70 were added, claims 1-9, 12-15, 19, 24, 26, 31-33, 42 and 45-47 were cancelled and claims 10, 17, 20-23, 25, 27-28, 30, 35, 41 and 43 were amended. This action is made final.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claim 10-11, 16-18, 20-23, 25-30, 34-41, 43-44 and 48-70 are rejected under 35 U.S.C. 103(a) as being unpatentable over Polizzi et al. ("Polizzi" US Patent Application Publication No. 2002/0052954) in view of Cadiz ("Cadiz" US Patent Application Publication No. 2002/0186257):

Regarding independent claim 10, Polizzi teaches a computer-based system for presenting a selected one of a plurality display screens (i.e. [0022] of Polizzi : " user may request, during the same session ... a figure corresponding to the user's request", "the portal system has the ability to simultaneously perform each of these tasks and present this data to the user with a single interface") comprising: means for accessing a plurality of information sources (i.e. [0047] of

Art Unit: 2174

Polizzi : " variety of content retrieved from a variety of different computer systems", "one or more back end databases" [0004], [0020], "more than one information source may be configured in the portal"); means for generating a plurality of display screens (i.e. [0004] of Polizzi : " presents data to a user in an object called a portal page"; [0022] of Polizzi : " the portal system has the ability to simultaneously perform each of these tasks and present this data to the user with a single interface"), each display screen including at least one control (i.e. "portal object may contain a set of links corresponding to ... jobs" [0006], "hypertext links to navigate through the portal system" [0020]), each control having at least one function associated therewith (i.e. [0020] of Polizzi : " clicking on that job will cause the job to be executed" [0006], "provide instructions to the portal system"); means for selecting one of said plurality of display screens for display (i.e. [0006] of Polizzi : " if the link is directed to a job stored within the portal system, then clicking on that job will cause the job to be executed" , [0030] of Polizzi : " a user can select content to be displayed in the display window by selecting an appropriate link"); means for selectively activating a status indicator on said selected one of said plurality of display screens (i.e. [0028] of Polizzi : " a user may configure his portal page to provide a dynamically updated portal page which displays the status of an exception condition") based on information located in at least one of said information sources (i.e. test for exceptions present when querying properties in database [0066], data retrieved from back-end database to see if notifications or exception conditions are present [0094]) and on at least one status indicator threshold (i.e. [0052] of Polizzi : " exceptions are

Art Unit: 2174

conditions that appear in the output of a job that require some ... threshold to monitor"); means responsive to a control on said selected one of said plurality of display screens, for invoking a function associated with said control upon activation of said control (i.e. [0030] of Polizzi : " a user can select content to be displayed in the display window by selecting an appropriate link"). Polizzi does not teach a display screen including at least one status indicator associated with a status indicator threshold.

Cadiz teaches each display screen including at least one status indicator associated with a status indicator threshold (i.e. [0017] of Cadiz : " The system and process of the present invention then either automatically tracks or receives the current state of the information and communications contacts described by the tickets, and dynamically provides current information as well as availability and status of the communications contacts in an interactive "peripheral awareness" interface for displaying the items."). It would have been obvious to an artisan at the time of the invention to combine the status indicator threshold of Cadiz with the computer-based display screen system of Polizzi in order to "display information and/or communications contacts in such a way as to minimize any potential distraction or interruption to the user ([0017] of Cadiz).

Cadiz further teaches means for linking an intermediate datasource to at least one additional information source (i.e. [0024] of Cadiz : " Consequently, the customizable ticket includes instructions for using a "service" for linking to the remote server hosting the electronic file such that the can collect the statistical information as it becomes available"; [0080] of Cadiz : " Consequently, the

Art Unit: 2174

customizable ticket 210 for watching or tracking the electronic file that the user is interested in includes instructions for using one or more of the services 230 for linking or connecting to the electronic file"), and wherein at least one of said plurality of information sources is an intermediate datasource (i.e. [0088] of Cadiz : " communicate or interact with a particular information source or sources 240 so that such items can successfully retrieve, receive, or interact with information from any such sources").

Regarding dependent claim 11, see the analysis of claim 10 above. Cadiz, in combination with Polizzi teaches a computer-based system for presenting a selected one of a plurality of display screens in accordance with claim 10, further comprising means for user authentication (i.e. [0024] of Polizzi : " the authentication server is used to determine if a particular user should be granted access to the portal system") for controlling access to predetermined information sources (i.e. [0040] of Polizzi : " connect to various service agents in the portal system") based on user identification information (i.e. [0040] of Polizzi : " checks the user's credentials and either allows or disallows the user to connect").

Regarding dependent claim 16, see the analysis of claim 10 above. Cadiz, in combination with Polizzi teaches a computer-based system for presenting a selected one of a plurality of display screens in accordance with claim 10, wherein said function is an operation selected from the group consisting of a hyperlink (i.e. seen specifically in [0004] and [0006] of Polizzi), a script (i.e. seen specifically in [0050] of Polizzi), a program (i.e. seen specifically in [0004] and

Art Unit: 2174

[0006] of Polizzi), and a query (i.e. seen specifically in [0050] and [0066] of Polizzi).

Regarding dependent claim 17, see the analysis of claim 10 above. Cadiz, in combination with Polizzi teaches a computer-based system for presenting a selected one of a plurality of display screens in accordance with claim 10, a plurality of status indicator thresholds (i.e. [0005] of Polizzi "allows a user to configure one or more exception conditions") are associated with a single status indicator (i.e. [0005] of Polizzi : " indicate when some element"; [0017] of Cadiz : " The system and process of the present invention then either automatically tracks or receives the current state of the information and communications contacts described by the tickets, and dynamically provides current information as well as availability and status of the communications contacts in an interactive "peripheral awareness" interface for displaying the items."), and wherein said means for selectively activating a status indicator on said selected one of said plurality of display screens differentially activates said status indicator depending on a relationship between said information located in at least one of said information sources and a corresponding one of said plurality of status indicator thresholds (i.e. test for exceptions present when querying properties in database [0066] of Polizzi, data retrieved from back-end database to see if notifications or exception conditions are present [0094] of Polizzi).

Regarding dependent claim 18, see the analysis of claim 10 above. Cadiz, in combination with Polizzi teaches a computer-based system for presenting a selected one of a plurality of display screens in accordance with claim 10,

wherein said status indicator is capable of displaying more than two status indications (i.e. [0031] of Polizzi : " a user may add more than one indicator to the exception dashboard").

Regarding dependent claim 20, see the analysis of claim 10 above. Cadiz, in combination with Polizzi teaches a computer-based system for presenting a selected one of a plurality of display screens in accordance with claim 10, further comprising means, responsive to activation of said control (i.e. [0030] of Polizzi : " a user can select content to be displayed in the display window by selecting an appropriate link"), for displaying information based on information obtained from at least one of said plurality of information sources (i.e. [0004] of Polizzi : " variety of content retrieved from a variety of different computer systems"; [0020] of Polizzi : " one or more back end databases"; [0047] of Polizzi : " more than one information source may be configured in the portal"), in a display region (i.e. [0030] of Polizzi : " displayed in the display window by selecting an appropriate link") of said display screen (i.e. [0070] of Cadiz : "can be thought of, at least in a general sense as a region provided on a display device where items can be placed, displayed or rendered, and within which users can interact with the items").

Regarding dependent claim 21, see the analysis of claim 10 above. Cadiz, in combination with Polizzi teaches a computer-based system for presenting a selected one of a plurality of display screens in accordance with claim 10, further comprising means, responsive to activation of said control (i.e. [0030] of Polizzi : " a user can select content to be displayed in the display window by selecting an

Art Unit: 2174

appropriate link"), for displaying information based on information obtained (i.e. [0005] of Polizzi : " converting data from back-end databases ... are stored within the portal system in a computer memory device called a repository"; "computer files, known as objects, are stored in the repository" [0038]) from said intermediate datasource (i.e. [0088] of Cadiz : " communicate or interact with a particular information source or sources 240 so that such items can successfully retrieve, receive, or interact with information from any such sources"), in a display region (i.e. [0030] of Polizzi : " displayed in the display window by selecting an appropriate link") of said display screen (i.e. [0070] of Cadiz : "can be thought of, at least in a general sense as a region provided on a display device where items can be placed, displayed or rendered, and within which users can interact with the items").

Regarding dependent claim 22, see the analysis of claim 21 above. Cadiz, in combination with Polizzi teaches a computer-based system for presenting a selected one of a plurality of display screens in accordance with claim 21, wherein said means for linking said intermediate datasource (i.e. [0024] of Cadiz : " Consequently, the customizable ticket includes instructions for using a "service" for linking to the remote server hosting the electronic file such that the can collect the statistical information as it becomes available"; [0080] of Cadiz : " Consequently, the customizable ticket 210 for watching or tracking the electronic file that the user is interested in includes instructions for using one or more of the services 230 for linking or connecting to the electronic file") to at least one additional information source (i.e. [0041] of Polizzi : " electronically connected to

... the repository and at least one back-end database") obtains information from said at least one additional information source and stores said thus obtained information in said intermediate datasource (i.e. [0005] of Polizzi : " converting data from back-end databases ... are stored within the portal system in a computer memory device called a repository"; [0038] of Polizzi : " computer files, known as objects, are stored in the repository").

Regarding dependent claim 23, see the analysis of claim 21 above. Cadiz, in combination with Polizzi teaches a computer-based system for presenting a selected one of a plurality of display screens in accordance with claim 21, wherein said means for linking said intermediate datasource (i.e. [0024] of Cadiz : " Consequently, the customizable ticket includes instructions for using a "service" for linking to the remote server hosting the electronic file such that the can collect the statistical information as it becomes available"; [0080] of Cadiz : " Consequently, the customizable ticket 210 for watching or tracking the electronic file that the user is interested in includes instructions for using one or more of the services 230 for linking or connecting to the electronic file") to at least one additional information source (i.e. [0041] of Polizzi : " electronically connected to ... the repository and at least one back-end database") periodically obtains information from said at least one additional information source and stores said thus periodically obtained information in said intermediate datasource (i.e. [0005] of Polizzi : " converting data from back-end databases ... are stored within the portal system in a computer memory device called a repository"; [0038] of Polizzi : " computer files, known as objects, are stored in the repository").

Regarding independent claim 25, Polizzi teaches a computer-based system (i.e. [0004] of Polizzi : " the computer system may also be referred to as a portal system") for presenting an information display screen (i.e. Fig. 10, [0004] of Polizzi : " presents data to a user in an object called a portal page"), comprising a computer (i.e. [0024] of Polizzi : "standard computer"), an interface device adapted to connect said computer to a plurality of information sources (i.e. [0004] of Polizzi : "variety of content retrieved from a variety of different computer systems"; [0020] of Polizzi : "one or more back end databases"; [0047] of Polizzi : " more than one information source may be configured in the portal") including an intermediate datasource (i.e. [0005] of Polizzi : "converting data from back-end databases ... are stored within the portal system in a computer memory device called a repository"; [0038] of Polizzi : " computer files, known as objects, are stored in the repository"), a data link for providing a link between an information source and an intermediate datasource so that information in an information source can be provided to said intermediate datasource (i.e. [0041] of Polizzi : " electronically connected to ... the repository and at least one back-end database"), a computer readable medium containing computer executable code for generating a display screen on said computer (i.e. [0004] of Polizzi : "presents data to a user in an object called a portal page"), said display screen including at least one control (i.e. [0006] of Polizzi : " portal object may contain a set of links corresponding to ... jobs"; i.e. [0020] of Polizzi : " hypertext links to navigate through the portal system"), each said at least one control having at least one function associated therewith (i.e. [0006] of Polizzi : " clicking on that job will

Art Unit: 2174

cause the job to be executed"; [0020] of Polizzi : " provide instructions to the portal system"), said display screen including at least one status indicator (i.e. [0025] of Polizzi : " reflect an up-to-the-minute status of the corresponding aspect"; [0028] of Polizzi : " dynamically updated portal page which displays the status"); and wherein said computer readable media containing computer executable code additionally includes computer executable code for selectively activating said status indicator (i.e. [0028] of Polizzi : "a user may configure his portal page to provide a dynamically updated portal page which displays the status of an exception condition") based on information located in at least one of said information sources (i.e. test for exceptions present when querying properties in database [0066] of Polizzi, data retrieved from back-end database to see if notifications or exception conditions are present [0094] of Polizzi) and on at least one status indicator threshold (i.e. [0052] of Polizzi : " exceptions are conditions that appear in the output of a job that require some ... threshold to monitor"), and responding to activation of a control on said display screen, for invoking a function associated with said control on said display screen upon activation of said control (i.e. [0030] of Polizzi : "a user can select content to be displayed in the display window by selecting an appropriate link"). Polizzi does not teach a display screen including at least one status indicator associated with a status indicator threshold.

Cadiz teaches each display screen including at least one status indicator associated with a status indicator threshold (i.e. [0017] of Cadiz : " The system and process of the present invention then either automatically tracks or receives

Art Unit: 2174

the current state of the information and communications contacts described by the tickets, and dynamically provides current information as well as availability and status of the communications contacts in an interactive "peripheral awareness" interface for displaying the items."). It would have been obvious to an artisan at the time of the invention to combine the status indicator threshold of Cadiz with the computer-based display screen system of Polizzi in order to "display information and/or communications contacts in such a way as to minimize any potential distraction or interruption to the user ([0017] of Cadiz).

Regarding dependent claim 27, see the analysis of claim 25 above. Cadiz, in combination with Polizzi teaches a computer-based system for presenting an information display screen in accordance with claim 25, wherein a plurality of status indicator thresholds (i.e. [0005] of Polizzi : " allows a user to configure one or more exception conditions") are associated with a single status indicator (i.e. [0028] of Polizzi : " a user may configure his portal page to provide a dynamically updated portal page which displays the status of an exception condition"), and wherein said computer readable media containing computer executable code additionally includes computer executable code for selectively activating said status indicator differentially (i.e. test for exceptions present when querying properties in database [0066] of Polizzi, data retrieved from back-end database to see if notifications or exception conditions are present [0094] of Polizzi) depending on a relationship between said information located in at least one of said plurality of information sources (i.e. [0004] of Polizzi : " variety of content retrieved from a variety of different computer systems"; [0020] of Polizzi : " one or

Art Unit: 2174

more back end databases"; [0047] of Polizzi : " more than one information source may be configured in the portal") or said intermediate datasource (i.e. [0005] of Polizzi : " converting data from back-end databases ... are stored within the portal system in a computer memory device called a repository"; [0038] of Polizzi : " computer files, known as objects, are stored in the repository") and a corresponding one of said plurality of status indicator thresholds (i.e. [0005] of Polizzi : " allows a user to configure one or more exception conditions"; [0017] of Cadiz : " The system and process of the present invention then either automatically tracks or receives the current state of the information and communications contacts described by the tickets, and dynamically provides current information as well as availability and status of the communications contacts in an interactive "peripheral awareness" interface for displaying the items.").

Regarding independent claim 28, Polizzi teaches a computer-based system (i.e. [0004] of Polizzi : " the computer system may also be referred to as a portal system") for presenting an information display screen (i.e. Fig. 10, [0004] of Polizzi : " presents data to a user in an object called a portal page"), comprising means for accessing a plurality of information sources (i.e. [0004] of Polizzi : " variety of content retrieved from a variety of different computer systems"; [0020] of Polizzi : " one or more back end databases"; [0047] of Polizzi : "more than one information source may be configured in the portal"), at least one of said information sources being an intermediate datasource (i.e. [0005] of Polizzi : "converting data from back-end databases ... are stored within the portal

Art Unit: 2174

system in a computer memory device called a repository"; [0038] of Polizzi : "computer files, known as objects, are stored in the repository"), means for linking said intermediate datasource to at least one additional information source (i.e. [0041] of Polizzi : "electronically connected to ... the repository and at least one back-end database"), means for generating a display screen template (i.e. Fig. 10, [0004] of Polizzi : "presents data to a user in an object called a portal page"), said display screen template including at least one control (i.e. [0006] of Polizzi : " portal object may contain a set of links corresponding to ... jobs"; [0020] of Polizzi : " hypertext links to navigate through the portal system"), each said at least one control having at least one function associated therewith (i.e. [0006] of Polizzi : "clicking on that job will cause the job to be executed"; [0020] of Polizzi : " provide instructions to the portal system"), said display screen template including at least one status indicator (i.e. [0025] of Polizzi : "reflect an up-to-the-minute status of the corresponding aspect"; [0028] of Polizzi : "dynamically updated portal page which displays the status"), means for selectively activating said status indicator (i.e. [0028] of Polizzi : "a user may configure his portal page to provide a dynamically updated portal page which displays the status of an exception condition") based on information located in at least one of said information sources (i.e. test for exceptions present when querying properties in database [0066] of Polizzi, data retrieved from back-end database to see if notifications or exception conditions are present [0094] of Polizzi) and on at least one status indicator threshold (i.e. [0052] of Polizzi : " exceptions are conditions that appear in the output of a job that require some ... threshold to monitor"),

Art Unit: 2174

and means responsive to a control on said display screen template, for invoking a function associated with said control on said display screen template upon activation of said control (i.e. [0030] of Polizzi : " a user can select content to be displayed in the display window by selecting an appropriate link"). Polizzi does not teach a display screen including at least one status indicator associated with a status indicator threshold.

Cadiz teaches each display screen including at least one status indicator associated with a status indicator threshold (i.e. [0017] of Cadiz : " The system and process of the present invention then either automatically tracks or receives the current state of the information and communications contacts described by the tickets, and dynamically provides current information as well as availability and status of the communications contacts in an interactive "peripheral awareness" interface for displaying the items."). It would have been obvious to an artisan at the time of the invention to combine the status indicator threshold of Cadiz with the computer-based display screen system of Polizzi in order to "display information and/or communications contacts in such a way as to minimize any potential distraction or interruption to the user ([0017] of Cadiz).

Regarding dependent claim 29, see the analysis of claim 28 above. Cadiz, in combination with Polizzi teaches a computer-based system for presenting an information display screen in accordance with claim 28, further comprising means for user authentication (i.e. [0024] of Polizzi : " the authentication server is used to determine if a particular user should be granted access to the portal system") for controlling access to predetermined information sources (i.e. [0040]

Art Unit: 2174

of Polizzi : " connect to various service agents in the portal system") based on user identification information (i.e. [0040] of Polizzi : " checks the user's credentials and either allows or disallows the user to connect").

Regarding dependent claim 30, see the analysis fo claim 28 above. Cadiz, in combination with Polizzi teaches a computer-based system for presenting an information display screen in accordance with claim 28, wherein said display screen includes a display region (i.e. [0083] of Polizzi : "display window") for presenting selected information to a user (i.e. [0083] of Polizzi : "a corresponding object will be displayed in the display window") upon activation of said control (i.e. [0083] of Polizzi : "by clicking on one of these links").

Regarding dependent claim 34, see the analysis of claim 28 above. Cadiz, in combination with Polizzi teaches a computer-based system for presenting an information display screen in accordance with claim 28, wherein said function is an operation selected from the group consisting of a hyperlink (i.e. seen specifically in [0004] and [0006] of Polizzi), a script (i.e. seen specifically in [0050] of Polizzi), a program (i.e. seen specifically in [0004] and [0006] of Polizzi), and a query (i.e seen specifically in [0050] and [0066] of Polizzi).

Regarding dependent claim 35, see the analysis of claim 28 above. Cadiz, in combination with Polizzi teaches a computer-based system for presenting an information display screen in accordance with claim 28, wherein a plurality of status indicator thresholds (i.e. [0005] of Polizzi : "allows a user to configure one or more exception conditions") are associated with a single status indicator (i.e. [0005] of Polizzi : " indicate when some element"), and wherein said means for

Art Unit: 2174

selectively activating said status indicator differentially activates said status indicator depending on a relationship between said information located in at least one of said information sources and a corresponding one of said plurality of status indicator thresholds (i.e. test for exceptions present when querying properties in database [0066] of Polizzi, data retrieved from back-end database to see if notifications or exception conditions are present [0094] of Polizzi).

Regarding dependent claim 36, see the analysis of claim 27 above. Cadiz, in combination with Polizzi teaches a computer-based system for presenting an information display screen in accordance with claim 27, wherein said status indicator is capable of displaying more than two status indications (i.e. [0031] of Polizzi : " a user may add more than one indicator to the exception dashboard").

Regarding dependent claim 37, see the analysis of claim 27 above. Cadiz, in combination with Polizzi teaches a computer-based system for presenting an information display screen in accordance with claim 27, further comprising means, responsive to activation of said control (i.e. [0030] of Polizzi : " a user can select content to be displayed in the display window by selecting an appropriate link"), for displaying information based on information obtained from at least one of said plurality of information sources (i.e. [0004] of Polizzi : " variety of content retrieved from a variety of different computer systems"; [0020] of Polizzi : " one or more back end databases"; [0047] of Polizzi : " more than one information source may be configured in the portal"), in said display region (i.e. [0030] of Polizzi : " displayed in the display window by selecting an appropriate link").

Art Unit: 2174

Regarding dependent claim 38, see the analysis of claim 27 above. Cadiz, in combination with Polizzi teaches a computer-based system for presenting an information display screen in accordance with claim 27, further comprising means, responsive to activation of said control (i.e. [0030] of Polizzi : " a user can select content to be displayed in the display window by selecting an appropriate link"), for displaying information (i.e. [0030] of Polizzi : " displayed in the display window") based on information obtained from said intermediate datasource (i.e. [0005] of Polizzi : " converting data from back-end databases ... are stored within the portal system in a computer memory device called a repository"; [0038] of Polizzi : " computer files, known as objects, are stored in the repository"), in said display region (i.e. [0030] of Polizzi : " displayed in the display window by selecting an appropriate link").

Regarding dependent claim 39, see the analysis of claim 38 above. Cadiz, in combination with Polizzi teaches a computer-based system for presenting an information display screen in accordance with claim 38, wherein said means for linking said intermediate datasource to at least one additional information source (i.e. [0041] of Polizzi : " electronically connected to ... the repository and at least one back-end database") obtains information from said at least one additional information and stores said thus obtained information in said intermediate datasource (i.e. "converting data from back-end databases ... are stored within the portal system in a computer memory device called a repository" [0005] of Polizzi, "computer files, known as objects, are stored in the repository" [0038] of Polizzi).

Regarding dependent claim 40, see the analysis of claim 38 above. Cadiz, in combination with Polizzi teaches a computer-based system for presenting an information display screen in accordance with claim 38, wherein said means for linking said intermediate datasource to at least one additional information source (i.e. [0041] of Polizzi : " electronically connected to ... the repository and at least one back-end database") periodically obtains information from said at least one additional information and stores said thus periodically obtained information in said intermediate datasource (i.e. [0005] of Polizzi : " converting data from back-end databases ... are stored within the portal system in a computer memory device called a repository"; [0038] of Polizzi : " computer files, known as objects, are stored in the repository").

Regarding independent claim 41, Polizzi teaches a computer-based system (i.e. [0004] of Polizzi : " the computer system may also be referred to as a portal system") for presenting an information display screen (i.e. Fig. 10, [0004] of Polizzi : " presents data to a user in an object called a portal page"), comprising a computer (i.e. [0024] of Polizzi : "standard computer"), an interface device (i.e. [0022] of Polizzi : "interface between the various back end databased and a user") adapted to connect said computer to a plurality of information sources (i.e. [0004] of Polizzi : " variety of content retrieved from a variety of different computer systems"; [0020] of Polizzi : " one or more back end databases"; [0047] of Polizzi : "more than one information source may be configured in the portal"), a computer readable medium containing computer executable code (i.e. "memory ... encoded with instructions" Claim 1) for

Art Unit: 2174

generating a display screen (i.e. [0004] of Polizzi : " presents data to a user in an object called a portal page"), said display screen including at least one control (i.e. [0006] of Polizzi : " portal object may contain a set of links corresponding to ... jobs"; [0020] of Polizzi : " hypertext links to navigate through the portal system"), each said at least one control having at least one function associated therewith (i.e. [0006] of Polizzi : " clicking on that job will cause the job to be executed"; [0020] of Polizzi : "provide instructions to the portal system"), said display screen including at least one status indicator (i.e. [0025] of Polizzi : " reflect an up-to-the-minute status of the corresponding aspect"; [0028] of Polizzi : " dynamically updated portal page which displays the status"), said display screen further including a display region for presenting selected information to a user upon activation of said control (i.e. [0030] of Polizzi : " a user can select content to be displayed in the display window by selecting an appropriate link"), and wherein said computer readable media containing computer executable code additionally includes computer executable code for selectively activating said status indicator (i.e. "a user may configure his portal page to provide a dynamically updated portal page which displays the status of an exception condition" [0028] of Polizzi) based on information located in at least one of said information sources (i.e. test for exceptions present when querying properties in database [0066] of Polizzi, data retrieved from back-end database to see if notifications or exception conditions are present [0094] of Polizzi) and on at least one status indicator threshold (i.e. "exceptions are conditions that appear in the output of a job that require some ... threshold to monitor" [0052] of Polizzi), and responding to

Art Unit: 2174

activation of a control on said display screen (i.e. "a user can select content to be displayed in the display window by selecting an appropriate link" [0030] of Polizzi), for generating a multi-axis (i.e. X and Y axis in 1045 of Polizzi) scorecard display based on data stored in at least one of said plurality of information sources (i.e. "a user may request that the portal system produce a graph" [0022] of Polizzi) and presenting said scorecard display in said display region (i.e. "presented to the user through his browser program" [0022] of Polizzi) upon activation of said control (i.e. "upon receiving the request" through clicking a link [0022] of Polizzi). Polizzi does not teach a display screen including at least one status indicator associated with a status indicator threshold.

Cadiz teaches each display screen including at least one status indicator associated with a status indicator threshold (i.e. [0017] of Cadiz : " The system and process of the present invention then either automatically tracks or receives the current state of the information and communications contacts described by the tickets, and dynamically provides current information as well as availability and status of the communications contacts in an interactive "peripheral awareness" interface for displaying the items."). It would have been obvious to an artisan at the time of the invention to combine the status indicator threshold of Cadiz with the computer-based display screen system of Polizzi in order to "display information and/or communications contacts in such a way as to minimize any potential distraction or interruption to the user ([0017] of Cadiz).

Cadiz further teaches means for linking an intermediate datasource to at least one additional information source (i.e. [0024] of Cadiz : " Consequently, the

Art Unit: 2174

customizable ticket includes instructions for using a "service" for linking to the remote server hosting the electronic file such that the can collect the statistical information as it becomes available"; [0080] of Cadiz : " Consequently, the customizable ticket 210 for watching or tracking the electronic file that the user is interested in includes instructions for using one or more of the services 230 for linking or connecting to the electronic file"), and wherein at least one of said plurality of information sources is an intermediate datasource (i.e. [0088] of Cadiz : " communicate or interact with a particular information source or sources 240 so that such items can successfully retrieve, receive, or interact with information from any such sources").

Regarding dependent claim 43, see the analysis of claim 42 above. Cadiz, in combination with Polizzi teaches a computer-based system for presenting an information display screen in accordance with claim 42, wherein said computer executable code for generating a multi-axis scorecard display (i.e. X and Y axis in 1045 of Polizzi) is adapted to generate a multi-axis scorecard display (i.e. X and Y axis in 1045 of Polizzi) based on data stored in at least one of said plurality of information sources (i.e. [0022] of Polizzi : " a user may request that the portal system produce a graph") and on data stored in said intermediate datasource (i.e. [0005] of Polizzi : " converting data from back-end databases ... are stored within the portal system in a computer memory device called a repository" , [0038] of Polizzi : " computer files, known as objects, are stored in the repository").

Regarding dependent claim 44, see the analysis of claim 41 above. Cadiz, in combination with Polizzi teaches a computer-based system for presenting an information display screen in accordance with claim 41, wherein said computer executable code for generating a multi-axis (i.e. X and Y axis in 1045 of Polizzi) scorecard display is adapted to generate a multi-axis (i.e. X and Y axis in 1045 of Polizzi) scorecard display based on data stored in at least two of said plurality of information sources (i.e. [0004] of Polizzi : " variety of content retrieved from a variety of different computer systems"; [0020] of Polizzi : " one or more back end databases"; [0047] of Polizzi : " more than one information source may be configured in the portal").

Regarding independent claim 48, Polizzi teaches a computer-implemented method, comprising: receiving a user input to display information from a plurality of direct datasources (i.e. [0025] of Polizzi : "Because these jobs utilize data that is retrieved directly from the back-end databases, the output reports generated by these jobs reflect an up-to-the-minute status of the corresponding aspect of the enterprise"), the direct data sources further comprising information of a plurality of data types (i.e. [0062] of Polizzi : "Each repository 235 is assigned certain properties 700 including a name, a host, a database type, and a database server"), in successive, differing levels of detail (i.e. [0003] of Polizzi : "For example, an individual in the sales division may need to know the current inventory levels for a product in the manufacturing division to determine what price should be set for the product"); and displaying the information from the datasource in accordance with the user input (i.e. [0022] of Polizzi : "Upon

Art Unit: 2174

receiving the request, the portal system 120 would retrieve yield data from manufacturing back-end database 135 and process that data to generate a bar chart corresponding to the user's request"), the displayed information having been populated from the direct datasources (i.e. [0092] of Polizzi : "This metadata indicates which portal objects should also be retrieved from the repository 235 in order to populate the portal page 1000"). Polizzi does not teach an intermediate datasource.

Cadiz teaches an intermediate datasource and at least one additional information source (i.e. [0024] of Cadiz : " Consequently, the customizable ticket includes instructions for using a "service" for linking to the remote server hosting the electronic file such that the can collect the statistical information as it becomes available"; [0080] of Cadiz : " Consequently, the customizable ticket 210 for watching or tracking the electronic file that the user is interested in includes instructions for using one or more of the services 230 for linking or connecting to the electronic file"). It would have been obvious to an artisan at the time of the invention to combine the use of intermediate datasources of Cadiz with the use of direct datasources of Polizzi in order to "communicate or interact with a particular information source or sources 240 so that such items can successfully retrieve, receive, or interact with information from any such sources" ([0088] of Cadiz).

Claim 49 is similar in scope to claim 16, differing primarily in that claim 16 is directed towards a computer-based system and claim 49 is directed toward a computer-implemented method, and is therefore rejected under similar rationale.

Regarding dependent claim 50, see the analysis of claim 48 above. Cadiz, in combination with Polizzi teaches the computer-implemented method of claim 48, wherein the direct datasources comprise at least one of SAP databases, Oracle databases, flat file databases, SQL databases, XML databases, Btrieve databases, Access databases, FoxPro databases, Excel files, computer-aided design files, PowerPoint files, and TIF data sources (i.e. [0039] of Polizzi : "Oracle Reports, SAP Reports, etc"; [0008] of Polizzi : "databases, XML, formatted text, etc").

Regarding dependent claim 51, see the analysis of claim 48 above. Cadiz, in combination with Polizzi teaches the computer-implemented method of claim 48, wherein the data types include at least one of a database, a file, and a streaming data type (i.e. [0039] of Polizzi : "Oracle Reports, SAP Reports, etc"; [0008] of Polizzi : "databases, XML, formatted text, etc").

Regarding dependent claim 52, see the analysis of claim 48 above. Cadiz, in combination with Polizzi teaches the computer-implemented method of claim 48, wherein receiving the user input and displaying the information in successive, differing levels of detail includes: displaying a first set of information including an indicator and a display function invoked upon selection of the indicator (i.e. [0006] of Polizzi : "Each portal object may contain a set of links corresponding to output reports, jobs, or other objects stored within the repository"); receiving a user input selecting the indicator and invoking the display function; executing the display function to display a second set of information including a second indicator and a second display function invoked upon selection of the second

Art Unit: 2174

indicator (i.e. [0031] of Polizzi : "A user may add more than one indicator to the exception dashboard, such that there is a corresponding indicator for each exception condition that he has subscribed to"); and iterating the receiving and the executing (i.e. [0022] of Polizzi : "Upon receiving the request, the portal system 120 would retrieve yield data from manufacturing back-end database 135 and process that data to generate a bar chart corresponding to the user's request").

Regarding dependent claim 53, see the analysis of claim 48 above. Cadiz, in combination with Polizzi teaches the computer-implemented method of claim 48, further comprising populating the intermediate datasource (i.e. [0092] of Polizzi : "This metadata indicates which portal objects should also be retrieved from the repository 235 in order to populate the portal page 1000") from the native datasources (i.e. [0088] of Cadiz : " communicate or interact with a particular information source or sources 240 so that such items can successfully retrieve, receive, or interact with information from any such sources").

Regarding dependent claim 54, see the analysis of claim 53 above. Cadiz, in combination with Polizzi teaches the computer-implemented method of claim 53, wherein populating the intermediate datasource includes one of copying the data, linking the data, and streaming the data from the native databases (i.e. [0081] of Polizzi : "Users to whom permission is granted can publish their own portal pages for others to copy"; [0006] of Polizzi : "Each portal object may contain a set of links corresponding to output reports, jobs, or other objects stored within the repository").

Art Unit: 2174

Regarding dependent claim 55, see the analysis of claim 53 above. Cadiz, in combination with Polizzi teaches the computer-implemented method of claim 53, wherein populating the intermediate data source includes assigning security protocols information in the native data source (i.e. [0040] of Polizzi : " To provide for system security an authentication server 220 is provided").

Regarding dependent claim 56, see the analysis of claim 53 above. Cadiz, in combination with Polizzi teaches the computer-implemented method of claim 53, wherein populating the intermediate data source includes backing up at least a portion of the native data sources (i.e. [0092] of Polizzi : "This metadata indicates which portal objects should also be retrieved from the repository 235 in order to populate the portal page 1000").

Regarding dependent claim 57, see the analysis of claim 53 above. Cadiz, in combination with Polizzi teaches the computer-implemented method of claim 53, wherein populating the intermediate data source includes translating the data type to another data type (i.e. [0062] of Polizzi : "Each repository 235 is assigned certain properties 700 including a name, a host, a database type, and a database server").

Regarding dependent claim 58, see the analysis of claim 48 above. Cadiz, in combination with Polizzi teaches the computer-implemented method of claim 48, further comprising: receiving a second user input to display information from the native data source; and displaying the information from the native data sources responsive to the second user input (i.e. [0095] of Polizzi : "In some instances, the input can be provided by an INPUT object associated with the job

Art Unit: 2174

in the repository ... In other instances, the input must be provided by the user 100 as the job executes").

Regarding independent claim 59, Polizzi teaches a program storage medium encoded with instructions that, when executed by a computer, perform a method, the method comprising: receiving a user input to display information from a plurality of direct datasources (i.e. [0025] of Polizzi : "Because these jobs utilize data that is retrieved directly from the back-end databases, the output reports generated by these jobs reflect an up-to-the-minute status of the corresponding aspect of the enterprise"), the direct data sources further comprising information of a plurality of data types (i.e. [0062] of Polizzi : "Each repository 235 is assigned certain properties 700 including a name, a host, a database type, and a database server"), in successive, differing levels of detail (i.e. [0003] of Polizzi : "For example, an individual in the sales division may need to know the current inventory levels for a product in the manufacturing division to determine what price should be set for the product"); and displaying the information from the datasource in accordance with the user input (i.e. [0022] of Polizzi : "Upon receiving the request, the portal system 120 would retrieve yield data from manufacturing back-end database 135 and process that data to generate a bar chart corresponding to the user's request"), the displayed information having been populated from the direct datasources (i.e. [0092] of Polizzi : "This metadata indicates which portal objects should also be retrieved from the repository 235 in order to populate the portal page 1000"). Polizzi does not teach an intermediate datasource.

Art Unit: 2174

Cadiz teaches an intermediate datasource and at least one additional information source (i.e. [0024] of Cadiz : " Consequently, the customizable ticket includes instructions for using a "service" for linking to the remote server hosting the electronic file such that the can collect the statistical information as it becomes available"; [0080] of Cadiz : " Consequently, the customizable ticket 210 for watching or tracking the electronic file that the user is interested in includes instructions for using one or more of the services 230 for linking or connecting to the electronic file"). It would have been obvious to an artisan at the time of the invention to combine the use of intermediate datasources of Cadiz with the use of direct datasources of Polizzi in order to "communicate or interact with a particular information source or sources 240 so that such items can successfully retrieve, receive, or interact with information from any such sources" ([0088] of Cadiz).

Claim 60 is similar in scope to claim 52, differing primarily in that claim 52 is directed towards a computer-implemented method and claim 60 is directed toward a program storage medium, and is therefore rejected under similar rationale.

Claim 61 is similar in scope to claim 53, differing primarily in that claim 53 is directed towards a computer-implemented method and claim 61 is directed toward a program storage medium, and is therefore rejected under similar rationale.

Claim 62 is similar in scope to claim 58, differing primarily in that claim 58 is directed towards a computer-implemented method and claim 62 is directed

toward a program storage medium, and is therefore rejected under similar rationale.

Regarding independent claim 63, Polizzi teaches a computer programmed to perform a method, the method comprising: receiving a user input to display information from a plurality of direct datasources (i.e. [0025] of Polizzi : "Because these jobs utilize data that is retrieved directly from the back-end databases, the output reports generated by these jobs reflect an up-to-the-minute status of the corresponding aspect of the enterprise"), the direct data sources further comprising information of a plurality of data types (i.e. [0062] of Polizzi : "Each repository 235 is assigned certain properties 700 including a name, a host, a database type, and a database server"), in successive, differing levels of detail (i.e. [0003] of Polizzi : "For example, an individual in the sales division may need to know the current inventory levels for a product in the manufacturing division to determine what price should be set for the product"); and displaying the information from the datasource in accordance with the user input (i.e. [0022] of Polizzi : "Upon receiving the request, the portal system 120 would retrieve yield data from manufacturing back-end database 135 and process that data to generate a bar chart corresponding to the user's request"), the displayed information having been populated from the direct datasources (i.e. [0092] of Polizzi : "This metadata indicates which portal objects should also be retrieved from the repository 235 in order to populate the portal page 1000"). Polizzi does not teach an intermediate datasource.

Art Unit: 2174

Cadiz teaches an intermediate datasource and at least one additional information source (i.e. [0024] of Cadiz : " Consequently, the customizable ticket includes instructions for using a "service" for linking to the remote server hosting the electronic file such that the can collect the statistical information as it becomes available"; [0080] of Cadiz : " Consequently, the customizable ticket 210 for watching or tracking the electronic file that the user is interested in includes instructions for using one or more of the services 230 for linking or connecting to the electronic file"). It would have been obvious to an artisan at the time of the invention to combine the use of intermediate datasources of Cadiz with the use of direct datasources of Polizzi in order to "communicate or interact with a particular information source or sources 240 so that such items can successfully retrieve, receive, or interact with information from any such sources" ([0088] of Cadiz).

Claim 64 is similar in scope to claim 52, differing primarily in that claim 52 is directed towards a computer-implemented method and claim 64 is directed toward a computer, and is therefore rejected under similar rationale.

Claim 65 is similar in scope to claim 53, differing primarily in that claim 53 is directed towards a computer-implemented method and claim 65 is directed toward a computer, and is therefore rejected under similar rationale.

Claim 66 is similar in scope to claim 58, differing primarily in that claim 58 is directed towards a computer-implemented method and claim 66 is directed toward a computer, and is therefore rejected under similar rationale.

Art Unit: 2174

Regarding independent claim 67, Polizzi teaches a computing system, comprising: a plurality of native datasources (i.e. [0025] of Polizzi : "Because these jobs utilize data that is retrieved directly from the back-end databases, the output reports generated by these jobs reflect an up-to-the-minute status of the corresponding aspect of the enterprise") further comprising information of a plurality of data types (i.e. [0062] of Polizzi : "Each repository 235 is assigned certain properties 700 including a name, a host, a database type, and a database server"); a datasource populated from the native datasources; a plurality of user computers; and a utility responsive to input from the user computers to customize the interaction of users with information in the native datasources when invoked.and, in each interaction, capable of: receiving a user input to display information from the native datasources in successive, differing levels of detail (i.e. [0003] of Polizzi : "For example, an individual in the sales division may need to know the current inventory levels for a product in the manufacturing division to determine what price should be set for the product"); and displaying the information from the intermediate datasource in accordance with the user input (i.e. [0022] of Polizzi : "Upon receiving the request, the portal system 120 would retrieve yield data from manufacturing back-end database 135 and process that data to generate a bar chart corresponding to the user's request"), the displayed information having been populated from the native datasources (i.e. [0092] of Polizzi : "This metadata indicates which portal objects should also be retrieved from the repository 235 in order to populate the portal page 1000"). Polizzi does not teach an intermediate datasource.

Art Unit: 2174

Cadiz teaches an intermediate datasource and at least one additional information source (i.e. [0024] of Cadiz : " Consequently, the customizable ticket includes instructions for using a "service" for linking to the remote server, hosting the electronic file such that the can collect the statistical information as it becomes available"; [0080] of Cadiz : " Consequently, the customizable ticket 210 for watching or tracking the electronic file that the user is interested in includes instructions for using one or more of the services 230 for linking or connecting to the electronic file"). It would have been obvious to an artisan at the time of the invention to combine the use of intermediate datasources of Cadiz with the use of direct datasources of Polizzi in order to "communicate or interact with a particular information source or sources 240 so that such items can successfully retrieve, receive, or interact with information from any such sources" ([0088] of Cadiz).

Claim 68 is similar in scope to claim 52, differing primarily in that claim 52 is directed towards a computer-implemented method and claim 68 is directed toward a program computing system, and is therefore rejected under similar rationale.

Claim 69 is similar in scope to claim 53, differing primarily in that claim 53 is directed towards a computer-implemented method and claim 69 is directed toward a program computing system, and is therefore rejected under similar rationale.

Claim 70 is similar in scope to claim 58, differing primarily in that claim 58 is directed towards a computer-implemented method and claim 70 is directed

Art Unit: 2174

toward a program computing system, and is therefore rejected under similar rationale.

Response to Arguments

4. Applicant's arguments with respect to claims 10-11, 16-18, 20-23, 25-30, 34-41, 43-44 and 48-70 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

5. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chris Watt whose telephone number is (571)

Art Unit: 2174

270-1046. The examiner can normally be reached on Monday-Thursday 6:30-4:00 Eastern.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kristine L. Kincaid can be reached on (571) 276-5619. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Chris A. Watt/

January 29, 2007

CAW

Kristine Kincaid
KRISTINE KINCAID
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100